PAIN

Pain 75 (1998) 409–411

Contents to Volume 75 (1998)

Number 1 – March 1998

REVIEW ARTICLE

Understanding and measurement of muscle tone as related to clinical muscle pain
D.G. Simons, S. Mense (USA, Germany) 1

RESEARCH PAPERS

Sympathetic nerve activity after acupuncture in humans
S. Knardahl, M. Elam, B. Olausson, B.G. Wallin (Sweden, Norway) 19

Fos protein induction in the medullary dorsal horn and first segment of the spinal cord by tooth-pulp stimulation in cats
K. Iwata, O. Takahashi, Y. Tsuboi, H. Ochiai, J. Hibiya, T. Sakaki, Y. Yamaguchi, R. Sumino (Japan) 27

Pain progression, intensity and outcomes following tonsillectomy
F.F. Warnock, J. Lander (Canada) 37

Cold-induced pain and prickle in the glabrous and hairy skin
K.D. Davis (Canada) 47

Vibrotactile amplitude and frequency discrimination in temporomandibular disorders
M. Hollins, A. Sigurdsson (USA) 59

Attenuation of IGF-1 antinociceptive action and a reduction in spinal cord gene expression of its receptor in experimental diabetes
M.S. Bitar, C.W.T. Pilcher (Kuwait) 69

Daily diary and ambulatory activity monitoring of sleep in patients with insomnia associated with chronic musculoskeletal pain
K.G. Wilson, S.T. Watson, S.R. Currie (Canada) 75

Different strategies of modulation can be operative during hypnotic analgesia: a neurophysiological study
N. Danziger, E. Fournier, D. Bouhassira, D. Michaud, T. De Broucker, E. Santarcangelo, G. Carli, L. Chertock, J.C. Willer (France, Italy) 85

Sympathetic vasoconstrictor reflex pattern in patients with complex regional pain syndrome
F. Birklein, B. Riedl, B. Neundörfer, H.O. Handwerker (Germany) 93

Reliability and factor structure of the Multidimensional Pain Inventory – Swedish Language Version (MPI-S)
G. Bergström, I.B. Jensen, L. Bodin, S.J. Linton, Å.L. Nygren, S.G. Carlsson (Sweden) 101

Cannabinoids reduce hyperalgesia and inflammation via interaction with peripheral CB_1 receptors
J.D. Richardson, S. Kilo, K.M. Hargreaves (USA) 111

Sex differences in temporal summation but not sensory-discriminative processing of thermal pain
R.B. Fillingim, W. Maixner, S. Kincaid, S. Silva (USA) 121

Genetic variance in nociception and its relationship to the potency of morphine-induced analgesia in thermal and chemical tests
G.I. Elmer, J.O. Pieper, S. Stevens Negus, J.H. Woods (USA) 129

Excitotoxic spinal cord injury: behavioral and morphological characteristics of a central pain model
R.P. Yezierski, S. Liu, G.L. Ruenes, K.J. Kajander, K.L. Brewer (USA) 141

LETTERS TO THE EDITOR

Comment on Wall, *PAIN*, 71 (1997) 1–3
J.M. Chung (USA) 157

Comment on Stein and Yassouridis, *PAIN*, 71 (1997) 119–121
A.L. Russell (Canada) 157

Comment on Weintraub, *PAIN*, 72 (1997) 284–285
R.D. Gerwin (USA) 158

Reply to R.D. Gerwin
M.I. Weintraub (USA) 158

Reply to Roberts and Kramis, *PAIN*, 72 (1997) 288–289
F. Cervero, J.M.A. Laird (Spain) 159

Comment on McQuay et al., *PAIN*, 68 (1996) 217–227
S. Harrison (UK) 160

Reply to Harrison
H.J. McQuay, R.A. Moore (UK) 160

Numbers 2,3 – April 1998

EDITORIAL

The socioeconomic impact of chronic back pain: is anyone benefiting?
S.J. Linton (Sweden) 163

RESEARCH PAPERS

The modulatory effects of Bradykinin B_1 and B_2 receptor antagonists upon viscero-visceral hyper-reflexia in a rat model of visceral hyperalgesia
S. Jaggar, S. Habib, A.S.C. Rice (UK) 169

Prediction and assessment of the severity of post-operative pain and of satisfaction with management
T. Thomas, C. Robinson, D. Champion, M. McKell, M. Pell (Australia) 177

When somatic information threatens, catastrophic thinking enhances attentional interference
G. Crombez, C. Eccleston, F. Baeyens, P. Eelen (Belgium, UK) 187

Pain following human brachial plexus injury with spinal cord root avulsion and the effect of surgery
J.S. Berman, R. Birch, P. Anand (UK) 199

Treatment of chronic allodynia in spinally injured rats: effects of intrathecal selective opioid receptor agonists
J.-X. Hao, W. Yu, Z. Wiesenfeld-Hallin, X.-J. Xu (Sweden) 209

Involvement of NK-1 and NK-2 tachykinin receptor mechanisms in jaw muscle activity reflexly evoked by inflammatory irritant application to the rat temporomandibular joint
M. Bakke, J.W. Hu, B.J. Sessle (Denmark, Canada) 219

Empirical evidence of the association between the presence of musculoskeletal pain and physical disability in community-dwelling senior citizens
R.J. Scudds, J.McD. Robertson (USA, Canada) 229

Patient empowerment and feedback did not decrease pain in seriously ill hospitalized adults
N.A. Desbiens, A.W. Wu, Y. Yasui, J. Lynn, C. Alzola, N.S. Wenger, A.F. Connors Jr., R.S. Phillips, W. Fulkerson (USA) 237

Analysis of excitatory amino acid transmission within the rostral ventromedial medulla: implications for circuitry
M.M. Heinricher, S. McGaraughty (USA) 247

Use of levodopa to relieve pain from painful symmetrical diabetic polyneuropathy
M. Ertas, A. Sagduyu, N. Arac, B. Uludag, C. Ertekin (Turkey) 257

Effects of systemic carbamazepine and gabapentin on spinal neuronal responses in spinal nerve ligated rats
V. Chapman, R. Suzuki, H.L.C. Chamarette, L.J. Rygh, A.H. Dickenson (UK) 261

A fitness programme for patients with chronic low back pain: 2-year follow-up of a randomised controlled trial
H. Frost, S.E. Lamb, J.A. Klaber Moffett, J.C.T. Fairbank, J.S. Moser (UK) 273

UP 202-56, an adenosine analogue, selectively acts via A_1 receptors to significantly decrease noxiously-evoked spinal c-Fos protein expression
P. Honoré, J. Buritova, V. Chapman, J.-M. Besson (France) 281

Differential sensory-motor effects of pentobarbital in intact rats genetically selected for high vs. low neuropathic pain-related behaviour
J.-J. Vatine, A. Ratner, D. Rosen, Z. Seltzer (Israel) 295

Patient-controlled versus staff-controlled analgesia with pethidine after allogeneic bone marrow transplantation
T.-P. Zucker, C.W. Flesche, U. Germing, S. Schröter, R. Willers, H.-H. Wolf, A. Heyll (Germany) 305

The specific effects of prior opioid exposure on placebo analgesia and placebo respiratory depression
F. Benedetti, M. Amanzio, S. Baldi, C. Casadio, A. Cavallo, M. Mancuso, E. Ruffini, A. Oliaro, G. Maggi (Italy) 313

The relationship between sensory thresholds and mechanical hyperalgesia in nerve injury
H. Gottrup, J. Nielsen, L. Arendt-Nielsen, T.S. Jensen (Denmark) 321

Experimental muscle pain increases the human stretch reflex
D.A. Matre, T. Sinkjær, P. Svensson, L. Arendt-Nielsen (Denmark) 331

Psychophysical evidence for a neuropathic component of chronic neck pain
R.B. Sheather-Reid, M.L. Cohen (Australia) 341

The NMDA receptor antagonist amantadine reduces surgical neuropathic pain in cancer patients: a double blind, randomized, placebo controlled trial
D. Pud, E. Eisenberg, A. Spitzer, R. Adler, G. Fried, D. Yarnitsky (Israel) 349

Regional changes in forebrain activation during the early and late phase of formalin nociception: analysis using cerebral blood flow in the rat
T.J. Morrow, P.E. Paulson, P.J. Danneman, K.L. Casey (USA) 355

The cold plate as a test of nociceptive behaviors: description and application to the study of chronic neuropathic and inflammatory pain models
L. Jasmin, L. Kohan, M. Franssen, G. Janni, J.R. Goff (USA) 367

CLINICAL NOTES

Epileptic seizure associated with intracerebroventricular and intrathecal morphine bolus
M.F. Kronenberg, I. Laimer, C. Rifici, L. Saltuari, P. Bramanti, U. Moriggl, B. Norer, A. Kofler (Austria, Italy) 383

Compatibility of ketamine and morphine injections
M.-H. Lau, C. Hackman, D.J. Morgan (Australia) 389

The NMDA-receptor antagonist ketamine abolishes neuropathic pain after epidural administration in a clinical case
H. Takahashi, M. Miyazaki, T. Nanbu, H. Yanagida, S. Morita (Japan) 391

Dysaesthetic neck pain with syncope
J.D. Butler, J. Miles (UK) 395

A case of 'pure' dynamic mechano-allodynia due to a lesion of the spinal cord: pathophysiological considerations
N. Attal, L. Brasseur, M. Chauvin, D. Bouhassira (France) 399

Author Index to Volume 75 405

Contents to Volume 75 409